



NVSAIR

ventilation for life



PRODUCT CATALOGUE

NCF - Horizontal Outlet Roof Fans



+90 533 576 25 71




www.nvsair.com



info@nvsair.com

NCF

HORIZONTAL OUTLET ROOF FANS /
BACKWARD CURVED



SPEED CONTROL It can be supplied with an optional control device.

USAGE AREAS

constructional applications, factories, kitchens, labs, range hoods, offices, laboratories, malls, restaurants, theaters, flats, nightclubs, chicken farms, etc.

NCF these fans are used in the ventilation for closed areas and can work trouble-free with high-performance. They can work quietly with their outboard rotors.


MATERIAL Body; The radial fan is made up of a powder-coated galvanized sheets in a recurved fin structure.

DETAIL

Type/Code	Electrical Motor			Air Flow
	Voltage	Power	Speed	
	(V)	(W)	(d/d) (rpm)	(m3 / h)
NCF-250-M-2K	220	0,17	2.635	1.300
NCF-315-M-2K	220	0,21	2.660	1.800
NCF-355-M-4K	220	0,26	1.350	2.750
NCF-400-M-4K	220	0,43	1.380	3.620
NCF-450-M-4K	220	0,60	1.340	5.900
NCF-500-M-4K	220	0,75	1.400	8.000
NCF-560-T-4K	380	1,10	1.400	10.000

CAPACITY CHART




Type/Code	Air Flow (m ³ /h)									
	0 Pa	100 Pa	200 Pa	300 Pa	400 Pa	500 Pa	600 Pa	700 Pa	800 Pa	0 Pa
NCF-250-M-2K	1.300	1.050	840	620	400	50				
NCF-315-M-2K	1.800	1.400	700							
NCF-355-M-4K	2.750	2.150	1.200	200						
NCF-400-M-4K	3.620	3.500	2.700	2.100	1.300	600				
NCF-450-M-4K	5.900	4.600	3.750	3.000	2.000	700				
NCF-500-M-4K	8.000	6.600	5.400	4.600	3.600	2.750	1.400	300		
NCF-560-T-4K	10.000	8.800	8.100	6.100	5.500	4.800	3.600	2.400	1.000	







TECHNICAL DIMENSION

Type/Code	Sizes (mm)		
	A	B	C
NCF-250-M-2K	370	386	225
NCF-315-M-2K	454	443	293
NCF-355-M-4K	595	595	285
NCF-400-M-4K	595	685	355
NCF-450-M-4K	664	685	400
NCF-500-M-4K	798	824	385
NCF-560-T-4K	798	824	400

TECHNICAL DIMENSION



TECHNICAL DIMENSION





CONTACT

**Batı Sitesi Mah. 2310. Cad. No:50
Yenimahalle, Ankara, Türkiye**

P: +90 533 576 25 71

**info@nvsair.com
nvsair.com**