



# NVSAIR

ventilation for life



## PRODUCT CATALOGUE

NSRF - Greenhouse Fan

## ► NSRF (Greenhouse Fan)

NSRF are used for the ventilation of greenhouses in various forms



### DEFINITION

### VALUE

MOTOR INSULATION CLASS	F CLASS
MOTOR PROTECTION CLASS	IP 25
MOTOR EFFICIENCY CLASS	IE2
MOTOR ENCLOSURE TYPE	EXTERNAL ROTOR MOTOR
MOTOR BRAND	-
BODY MATERIAL	PP PLASTIC
BODY COATING	NONE
IMPELLER MATERIAL	PP PLASTIC
DUTY CYCLE	IEC Duty Cycle-S1
WORKING TEMPERATURE	-20 - +50 °C
STANDARDS	IEC-60335-2-80, ISO 1940-1



PRESSURIZATION



EXHAUST




MOTOR IN THE AIRSTREAM



MODEL	VOLTAGE (V)	FREQUENCY (Hz)	POWER (kW)	REVOLUTION (d/dk)	FLOW RATE (m <sup>3</sup> /h)	NOISE LEVEL (dB(A))
NSRF 350	230	50	180	1.365	4.100	73
NSRF 400	230	50	250	1.365	5.890	73
NSRF 500	230	50	250	1.365	7.400	75
NSRF 600	230	50	370	1.365	8.900	78

Değerler 0 Pa içindir

## DRAWING



MODEL	A (mm)	B (mm)
NSRF 350	360	500
NSRF 400	410	500
NSRF 500	510	500
NSRF 600	610	500



+90 533 576 25 71



www.nvsair.com



info@nvsair.com



## **CONTACT**

---

**Batı Sitesi Mah. 2310. Cad. No:50  
Yenimahalle, Ankara, Türkiye**

**P: +90 533 576 25 71**

**info@nvsair.com  
nvsair.com**